

BPP-MFX9250HP



FLEX- ATX Power Supply is designed for 1UITX Rack Mount /Mini-ITX chassis, and/or as a replacement Power Unit for IBM Sure POS, Shuttle XPC, and HP Pavilion systems.




2 x SATA
Right Angle
Cable




HP Mini
24 Pin




ATX 24 PIN (20+4)




P4-12V 4PIN




SATA II 15PIN



Molex 4PIN



1DD 4PIN



Specification:

Condition/Brand: Brand New by **BestPowerPro**

Model: BPP-MFX9250HP

Wattage: **250 Watt** (Work perfect on lower wattage power supply system)

Type: **ACTIVE PFC**

The preferable type of PFC is Active Power Factor Correction (Active PFC) since it provides more efficient power frequency. Because Active PFC uses a circuit to correct power factor, Active PFC is able to generate a theoretical power factor of over 95%. Active Power Factor Correction also markedly diminishes total harmonics, automatically corrects for AC input voltage, and is capable of a full range of input voltage. Since Active PFC is the more complex method of Power Factor Correction, it is more expensive to produce an Active PFC power supply.

Form Factor: **FLEX ATX**

FLEX ATX Power Supply is designed for 1UITX Rackmount /Mini-ITX chassis, and/or as a replacement Power Unit for IBM SurePOS, Shuttle XPC, and HP Pavillion systems.

Frequency: 60 / 50 Hz

Input Voltage: 88/264 Volts AC

Mix Output Voltage: +5V 13A, -5V 0.5A, +12V1 7A, +12V2 7A, -12V 0.8A, +3.3V 13A, +5V-SB 2.5A

Dimensions: (W x H x L) 3.2" x 1.6" x 5.9"

Weight: **2.0 Lbs**

Fans: With its thermal fan speed control it will detect the amount of heat generated by the computer and spin accordingly. Using this controller to detect the heat levels of the PSU it will adjust the fan speed accordingly, with

**this feature built in, worrying about the heat level of a PSU becomes almost non-existent
1 x internal 40mm SILENT auto speed control fan for maximum heat dissipation.**

Connector included: ATX Connector 24 (20+4) Pin X 1, P4-12V 4-Pin X 1, SATA 15-Pin(Right Angle) X 2, Molex 4-Pin X 2, Floppy 4-Pin X 1, 1 x HP Mini 24Pin

Temperature Range: Operating: 0°C ~ +50°C on Full Load.

Storage & Shipping: -20°C ~ +80°C

Humidity: 5 ~ 90% on Operating, 5 ~ 95% on Storage

Dielectric Withstand: Primary Frame Ground 1800V AC for 1 Second

MTBF: >100,000 Hours on Maximum Load at +25°C

Rise time: Less than 20ms

Hold-up Time: 17ms Minimum at Nominal Input Voltage

It is also compatible with many name brand powers as following.

(1) Not using mini 24pins adapter

Achme AM611BS15S, Achme AM618BS15S, Achme AM630BS20S, Advantech Panel PC PPC-174T, Asus ATP-165AAP, Asus 04-185002081, Delta DPS-185JBA, ElanVital EVP-1655 PJ ElanVital PC40N250EV, ElanVital EVN-1355A, ElanVital EVN-1216, Enhance ENP-2322B-G, Enhance ENP-0812A, Enhance ENP-0615B, Enhance ENP-0615B-G, Enhance ENP-2322A, Enhance ENP-2322C, Enhance ENP-2322B, Enhance ENP-0616A, Enhance ENP-0616B, Enhance ENP-2320, FSP FSP180-50PLA1, FSP FSP180-50PLA, FSP FSP200-50PLB, FSP FSP200-50PLA, FSP FSP200-50PLA2, FSP FSP150-50PL, FSP FSP150-50PL1R, ENP-0812A, Merit EC7536-01, Powerex SPC-200F, Shuttle PC34N220EN, Shuttle XPC SK21G, Shuttle PS-X200W, Shuttle XPC SB51G, Shuttle XPC SB51GB, Shuttle XPC SB52G2, Shuttle XPC SB61G2, Shuttle XPC SS51G, Shuttle XPC SS51G1, Shuttle XPC SS50C, Shuttle XPC SV24, Shuttle XPC SV25, Shuttle XPC FV25, Shuttle XPC SN45G, Shuttle XPC SK41G, Shuttle XPC SN41G2, Shuttle XPC SN41G2B, Shuttle XPC SS40G, Shuttle XPC SK41GPFC, Shuttle XPC SS56G, Shuttle XPC SB62G2, Shuttle XPC SN95G5B, Shuttle XPC SB65G2, Shuttle XPC SB75G2, Shuttle XPC SK43G, Shuttle XPC ST61G4, Shuttle XPC SB83G5, Shuttle XPC SB83G5C, Shuttle XPC SB77G5, , Shuttle XPC SS58G2, Shuttle XPC SS51G1(v2.0), Shuttle PC34N220AC, Shuttle PS-X160W, Shuttle SS50, Shuttle XPC SA76G2, Shuttle XPC SS56L, Shuttle XPC SG31G2, Shuttle XPC SG31G2 V2, Shuttle XPC SB95P, Shuttle XPC SN25P, Shuttle XPC SK83, Shuttle XPC ST20G5, Shuttle PC40, Shuttle PC50, Shuttle PC50-PW, Shuttle XPC SN41G, Shuttle PC40N250EV, Shuttle PC40I2503, Shuttle XPC SG33G5, Shuttle PC60, Shuttle XPC SN85G, Shuttle PC36I0002, Shuttle KPC K45S, Shuttle KPC K48, Shuttle PC3600L, Shuttle WPOS-232, Shuttle XPC SS59, Shuttle XPC SS59GV2, Shuttle XPC SS30G, Shuttle XPC SB61G, Shuttle MusicXPC Professional C4, Shuttle MusicXPC Professional C3, Shuttle MusicXPC Professional C2, Shuttle MusicXPC Professional C1, Shuttle PC61I0002, Shuttle XPC SD30G2, SOLTEK EQ2000, SOLTEK EQ3701M, Sparkle FSP200-50PLB, Sparkle FSP180-50PLA1, Sparkle FSP180-50PLA, Sparkle FSP200-50PLA, Sparkle FSP200-50PLA2, Sparkle FSP150-50PL, Sparkle FSP150-50PL1RTGR, (Tiger Power) TG-1201TGR, (Tiger Power) TG-1204

(2) Using mini 24pins adapter

HP Media Vault MV2010 300GB network drive (EMEA) RQ397AAR, RQ397AA

HP Media Vault MV2020 500GB network drive (EMEA) RQ398AAR, RQ398AA

HP Pavilion s7210n Slimline home PC EG198AAR, EG198AA

HP Pavilion s7220n Slimline home PC EG199AAR, EG199AA

HP Pavilion s7310n Slimline home PC EN996AAR, EN996AA

HP Pavilion s7320n Slimline home PC EP140AAR, EP140AA

HP Pavilion s7400n Slimline home PC ES086AAR, ES086AA

HP Pavilion s7410n Slimline home PC ER189AAR, ER189AA

HP Pavilion s7415c Slimline home PC EW209AAR, EW209AA

HP Pavilion s7420n Slimline home PC ER190AAR, ER190AA

HP Pavilion s7421c Slimline home PC ER191AAR, ER191AA

HP Pavilion s7500e Slimline home PC EY830AV

HP Pavilion s7500n Slimline home PC EX254AA
HP Pavilion s7500y Slimline home PC EX371AV
HP Pavilion s7510n Slimline home PC EX255AAR, EX255AA
HP Pavilion s7515x Slimline home PC EX257AA
HP Pavilion s7517c Slimline home PC EZ049AAR, EZ049AA
HP Pavilion s7520kr Slimline home PC (AP) EY949AA
HP Pavilion s7520la Slimline home PC (LA) RB092AAR, RB092AA
HP Pavilion s7520n Slimline home PC EX259AAR, EX259AA
HP Pavilion s7521k Slimline home PC (Asia Pacific) RC544AA
HP Pavilion s7525a Slimline home PC (Asia Pacific) RF819AA
HP Pavilion s7527c Slimline home PC EX260AA
HP Pavilion s7530n Slimline home PC EX262AAR, EX262AA
HP Pavilion s7531kr Slimline home PC (AP) RK524AA
HP Pavilion s7540a Slimline home PC (AP) EX542AAR, EX542AA
HP Pavilion s7541kr Slimline home PC (Asia Pacific) RR555AA
HP Pavilion s7545a Slimline home PC (Asia Pacific) RC621AA
HP Pavilion s7550d Slimline home PC (Asia Pacific) RE496AA
HP Pavilion s7600e Slimline CTO home PC RC494AV
HP Pavilion s7600n Slimline home PC RC671AAR, RC671AA
HP Pavilion s7600y Slimline CTO home PC RB050AV
HP Pavilion s7603w Slimline home PC RJ791AA
HP Pavilion s7605n Slimline home PC RC672AAR, RC672AA
HP Pavilion s7610FR Slimline home PC (EMEA) RF758AAR, RF758AA
HP Pavilion s7610es Slimline home PC (EMEA) RF289AAR, RF289AA
HP Pavilion s7610it Slimline home PC (EMEA) RF791AAR, RF791AA
HP Pavilion s7610pt Slimline home PC (EMEA) RF287AAR, RF287AA
HP Pavilion s7610uk Slimline home PC (EMEA) RF778AAR, RF778AA
HP Pavilion s7612n Slimline home PC RC681AAR, RC681AA
HP Pavilion s7613w Slimline home PC RJ790AAR, RJ790AA
HP Pavilion s7617c Slimline home PC RC673AAR, RC673AA
HP Pavilion s7620es Slimline home PC (Asia Pacific) RF290AAR, RF290AA
HP Pavilion s7620la Slimline home PC (LA) RF180AA
HP Pavilion s7620n Slimline home PC RC675AAR, RC675AA
HP Pavilion s7620uk Slimline home PC (EMEA) RF779AAR, RF779AA
HP Pavilion s7627c Slimline home PC RC677AAR, RC677AA
HP Pavilion s7630nl Slimline home PC (EMEA) RF777AAR, RF777AA
HP Pavilion s7635fr Slimline home PC (EMEA) RJ739AAR, RJ739AA
HP Pavilion s7640la Slimline home PC (EMEA) RJ084AAR, RJ084AA
HP Pavilion s7647de Slimline home PC (EMEA) RH958AAR, RH958AA